L Number	Hits	Search Text	DB	Time stamp
1	2	("6587097").PN.	USPAT;	2003/11/18 10:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
2	2	("6581097").PN.	USPAT;	2003/11/18 10:33
~	_		US-PGPUB;	2003, 11, 10 10.33
		•	EPO; JPO;	
	İ		DERWENT;	
		,	IBM TDB	
_	288597	search or query	USPAT;	2003/11/14 14:50
	200357	search of query	US-PGPUB;	2003/11/14 14.30
	I		EPO; JPO;	
			DERWENT;	
	I		IBM TDB	
	79806	(search or query) and database	USPAT;	2002/11/14 14:52
_	7,5006	(search of query) and database		2003/11/14 14:52
	I		US-PGPUB;	
	l		EPO; JPO;	
			DERWENT;	
	7000	//goongh on month 3 3-4-1 1 3 5'	IBM_TDB	2002/11/24
-	7932		USPAT;	2003/11/14 14:52
		and second with (search or query)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	!		IBM_TDB	
-	707	(((search or query) and database) and first	USPAT;	2003/11/14 14:54
		and second with (search or query)) and (zero	US-PGPUB;	
		or no empty) with (set\$3 result\$3 match\$3)	EPO; JPO;	
		with first	DERWENT;	
			·IBM_TDB	
-	37	((((search or query) and database) and first	USPAT;	2003/11/17 09:36
		and second with (search or query)) and (zero	US-PGPUB;	
		or no empty) with (set\$3 result\$3 match\$3)	EPO; JPO;	
		with first) and device with name	DERWENT;	
		,	IBM_TDB	
-	372669	(zero no empty) with (match\$2 result\$2	USPAT;	2003/11/17 09:37
		hit\$2)	US-PGPUB;	
	,		EPO; JPO;	
į,			DERWENT;	
1		•	IBM_TDB	
-	13468	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/11/17 09:38
		hit\$2)) and criteria and (search or query)	US-PGPUB;	.
			EPO; JPO;	
			DERWENT;	
1		·	IBM_TDB	·
-	12844	(((zero no empty) with (match\$2 result\$2	USPAT;	2003/11/17 09:38
1		hit\$2)) and criteria and (search or query))	US-PGPUB;	
		and first and second	EPO; JPO;	
	ļ		DERWENT;	
	ļ		IBM TDB	
(-	837	((((zero no empty) with (match\$2 result\$2	USPAT;	2003/11/17 09:39
		hit\$2)) and criteria and (search or query))	US-PGPUB;	·
1	ŀ	and first and second) and (group divide or	EPO; JPO;	
		split) with criteria	DERWENT;	
		•	IBM TDB	
-	225	(((((zero no empty) with (match\$2 result\$2	USPAT;	2003/11/17 09:39
		hit\$2)) and criteria and (search or query))	US-PGPUB;	
		and first and second) and (group divide or	EPO; JPO;	
		split) with criteria) and display with	DERWENT;	1
		result	IBM TDB	
-	15	((((((zero no empty) with (match\$2 result\$2	USPAT;	2003/11/17 09:40
		hit\$2)) and criteria and (search or query))	US-PGPUB;	, , , , , , , , , , , , , , , , , , , ,
j		and first and second) and (group divide or	EPO; JPO;	•
		split) with criteria) and display with	DERWENT;	
		result) and (partial or incomplete) with	IBM TDB	
		match		
				. <u></u>

-	3		USPAT;	2003/11/17 09:49
		hit\$2)) and criteria and (search or query)) and first and second) and (group divide or	US-PGPUB; EPO; JPO;	
		split) with criteria) and display with	DERWENT;	
		result) and (partial or incomplete) with (match) same display	IBM_TDB	
_	152514	l	USPAT;	2003/11/17 09:50
		propert\$3 profile)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2922	((fax or device or printer) with (attribut\$2	USPAT;	2003/11/17 09:51
		propert\$3 profile)) and (query or search)	US-PGPUB;	
:		with (fax or device or printer)	EPO; JPO;	
			DERWENT; IBM TDB	
_	31	(((fax or device or printer) with	USPAT;	2003/11/17 10:16
ł		(attribut\$2 propert\$3 profile)) and (query	US-PGPUB;	
		or search) with (fax or device or printer))	EPO; JPO;	
		and (partial incomplete ("not" adj complete)) with (match hit)	DERWENT; IBM TDB	
_	0	jp07908867a	USPAT;	2003/11/17 10:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	0	jp07302267a	USPAT;	2003/11/17 10:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	JP07302267a	USPAT;	2003/11/17 10:17
			US-PGPUB;	
	-		EPO; JPO; DERWENT;	
			IBM TDB	
-	0	JP07302267A	USPAT;	2003/11/17 11:29
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	. 0	("not" with (present available)) with device	USPAT;	2003/11/17 11:32
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3804518	("not" with (present available))	USPAT; US-PGPUB;	2003/11/17 11:34
			EPO; JPO;	
			DERWENT;	
		((1)-1-1) (1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	IBM_TDB	2002/11/15 11 21
-	0	(("not" with (present available))) and (fax or device or printer) with (search or query)	USPAT; US-PGPUB;	2003/11/17 11:34
		de device of princer, with (bearon of query)	EPO; JPO;	
			DERWENT;	
		// Unot U with (present available))) and (for	IBM_TDB	2002/11/17 11:27
-	8	(("not" with (present available))) and (fax or device or printer)	USPAT; US-PGPUB;	2003/11/17 11:37
		de dovido de primor,	EPO; JPO;	
			DERWENT;	
	2046052	("not" with (present available) unavailable)	IBM_TDB USPAT;	2003/11/17 11:37
-	3846852	("Not" with (present available) unavailable)	US-PGPUB;	2003/11/1/ 11:3/
			EPO; JPO;	
			DERWENT;	
_	9736	(("not" with (present available)	IBM_TDB USPAT;	2003/11/17 11:36
_	7/30	unavailable)) and database	US-PGPUB;	2003/11/1/ 11:36
			EPO; JPO;	
			DERWENT;	
L	ŀ		IBM TDB	

Page 2

-	3606	("not" with (present available) unavailable) with (fax or device or printer)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 11:37
_	71	(("not" with (present available) unavailable) with (fax or device or printer)) and second with (query or search)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 11:48
-	840	(query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/17 11:49
-	102	((query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)) and ((partial incomplete) with (match hit) unavailable)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 11:49
-	102	((query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)) and ((partial incomplete) with (match hit) unavailable ("not" with	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 11:50
-	24	<pre>present)) (((query or search) with (device or fax or printer) with (profile attribute\$ propert\$3)) and ((partial incomplete) with (match hit) unavailable ("not" with</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:42
-	13224	present))) and second with (query or search)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:43
-	1628	((search query) with (term or criteria)) and second with query	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/17 12:43
-	1730	((search query) with (term or criteria)) and (second refine) with query	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/17 12:43
-	4174	((search query) with (term or criteria)) and (second refine) with (search query)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/17 12:43
-	785	(((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:56
-	650	((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:45
-	2	(((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer)) and display with	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:46
-	90	and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer)) and display with	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:47
	90	and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and	US-PGPUB; EPO; JPO;	2003/11/17 12

_	69	((((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) with (result\$2 or match\$2 hit\$2)) and (device or fax or printer)) and display with (attribut\$2 or propert\$4)) and (707/\$ or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 12:57
-	472	345/\$) (((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near3 (result\$2 or match\$2 hit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:56
-	296	(((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 12:56
-	241	((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)) and (707/\$ or 345/\$ 709/\$)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 12:58
-	241	((((search query) with (term or criteria)) and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)) and (707/\$ or 345/\$ 709/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 12:57
-	101	and (second refine) with query) and (no zero empty) near (result\$2 or match\$2 hit\$2)) and (707/\$ or 345/\$ 709/\$)) and device with	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 14:38
-	918	(search or query) (primary and secondary) with (search or query)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 14:51
-	71	((primary and secondary) with (search or query)) and primary with (zero or none)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 14:39
-	16	(((primary and secondary) with (search or query)) and primary with (zero or none)) and (device or printer or fax) with (query or search)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:52
-	605	<pre>(reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 15:04
-	186	((reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)) and (device or printer or fax) with (query or search)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 14:52
-	103	(((reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)) and (device or printer or fax) with (query or search)) and second\$4 with (search or more)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 14:53
-	75	or query) ((((reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)) and (device or printer or fax) with (query or search)) and second\$4 with (search or query)) and (zero or no empty) with	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 15:01
-	83693	<pre>(set\$2 result\$2 match\$3) ((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 15:03
				L

		•	_	
-	1010	<pre>(((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property)) and second with (query search)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 15:43
_	28	((((zero or no empty) with (set\$2 result\$2	IBM_TDB USPAT;	2003/11/17 15:43
	:	match\$3) absence "not" with present) with (device printer fax attribute or property)) and second with (query search)) and (reduce or remove delete) with (term\$2 or criteria or condition\$2) with (query or search)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	82		USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 15:17
_	21	(absen\$3 with device with (query or search)) and second with (query or search)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/11/17 15:41
		(-)	DERWENT; IBM_TDB	
	23	<pre>(absen\$3 with device with (query or search)) and second\$ with (query or search)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 15:42
-	2	((absen\$3 with device with (query or search)) and second\$ with (query or search)) not ((absen\$3 with device with (query or search)) and second with (query or search))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 15:42
-	1082	<pre>(((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property)) and second\$ with (query search)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 15:43
-	102	<pre>((((zero or no empty) with (set\$2 result\$2 match\$3) absence "not" with present) with (device printer fax attribute or property)) and second\$ with (query search)) and (reduce or remove delete) with (term\$2 or criteria or condition\$2)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 15:44
-	4		USPAT	2003/11/17 15:56
-	7	("3987281" "5136538" "5212791" "5216593" "5353229" "5671404" "5758332").PN.	USPAT	2003/11/17 15:57
-	423546	find or locate with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/17 16:00
-	60205	(find or locate) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 16:00
	3526	((find or locate) with device) and device with (propert\$3 or attribut\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 16:01
-	540	(((find or locate) with device) and device with (propert\$3 or attribut\$2)) and (search or query) with device	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 16:01
-	169	((((find or locate) with device) and device with (propert\$3 or attribut\$2)) and (search or query) with device) and (second\$3 with (query or search) or research or re-search)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/11/17 16:02
	<u></u>		IBM_TDB	

		_	_	
[-	0	((((find or locate) with device) and device	USPAT;	2003/11/17 16:03
	<u> </u>	with (propert\$3 or attribut\$2)) and (search	US-PGPUB;	, ,
		or query) with device) and (second\$3 with	EPO; JPO;	
		(query or search) or research or re-search))	DERWENT;	
		and query with relaxation	IBM TDB	
-	0	(((((find or locate) with device) and device	USPAT;	2003/11/17 16:03
		with (propert\$3 or attribut\$2)) and (search	US-PGPUB;	
		or query) with device) and (second\$3 with	EPO; JPO;	
		(query or search) or research or re-search))	DERWENT;	
		and query with relax\$3	IBM_TDB	1
-	89	(((((find or locate) with device) and device	USPAT;	2003/11/17 16:04
		with (propert\$3 or attribut\$2)) and (search	US-PGPUB;	
		or query) with device) and (second\$3 with	EPO; JPO;	
		(query or search) or research or re-search))	DERWENT;	
		and (707/\$ 345/\$ 709/\$)	IBM_TDB	
-		6295527.URPN.	USPAT	2003/11/17 16:16
-	9	("5261044" "5388259" "5796951"	USPAT	2003/11/17 16:17
		"5813009" "5963938" "6006214"		
		"6009466" "6023696" "6078924").PN.	1	
-	10	5760775.URPN.	USPAT	2003/11/18 07:18
-	30	("4970554" "5270775" "5353388"	USPAT	2003/11/18 07:26
		"5383129" "5384620" "5423043"		
		"5450571"	'	
		"5483653" "5495561" "5499369" "5566661" "55666781" "55666781"		
		"5506661" "5528734" "5566278"		
		"5572632" "5579087" "5619649" "5644683" "5715370" "5754830"		
		"5644682" "5715379" "5754830" "5760775" "5790119" "5828855"		
		"5760775" "5790119" "5828855" "5974443" "5978560" "6031623"		
		"5974443" "5978560" "6031623" "6173295" "RE37258" "6370521").PN.		
_	1	6581097.URPN.	USPAT	2003/11/18 07:28
	<u> </u>	0301077.ORFH.	LODEWI	2003/11/10 07:20